# THE ASTROPHYSICAL JOURNAL

## CONTENTS OF VOLUME 376, PART 1

1991 JULY 20, Number 1


| | Page | Fiche |
|---|---|---|
| THE ACCURACY OF GALAXY MASSES FROM THE TIMING ARGUMENT<br>*T. L. Kroeker & R. G. Carlberg* | 1 | 125-B1 |
| THE DISTANCE TO THE COMA CLUSTER USING THE *B*-BAND TULLY-FISHER RELATION<br>*M. Fukugita, S. Okamura, K. Tarusawa, H. J. Rood, & B. A. Williams* | 8 | 125-B9 |
| THE DISTRIBUTION OF DARK MATTER IN THE PERSEUS CLUSTER<br>*C. J. Eyles, M. P. Watt, D. Bertram, M. J. Church, T. J. Ponman, G. K. Skinner, & A. P. Willmore* | 23 | 125-C12 |
| LYMAN-ALPHA DEPRESSION OF THE CONTINUUM FROM HIGH-REDSHIFT QUASARS: A NEW TECHNIQUE APPLIED IN SEARCH OF THE GUNN-PETERSON EFFECT<br>*Edward B. Jenkins & Jeremiah P. Ostriker* | 33 | 125-D9 |
| SUPERCLUSTERS AND PENCIL-BEAM SURVEYS: THE ORIGIN OF LARGE-SCALE PERIODICITY<br>*Neta A. Bahcall* | 43 | 125-E6 |
| DYNAMICS OF THE MICROWAVE-DECREMENT CLUSTER ABELL 665<br>*William R. Oegerle, Michael J. Fitchett, John M. Hill, & Paul Hintzen* | 46 | 125-E10 |
| PRIMORDIAL NUCLEOSYNTHESIS REDUX<br>*Terry P. Walker, Gary Steigman, David N. Schramm, Keith A. Olive, & Ho-Shik Kang* | 51 | 125-F1 |
| BOUNDS ON THE ENHANCEMENT OF QUASAR COUNTS BY LENSES<br>*Israel Kovner* | 70 | 125-G8 |
| LINE PROFILES FROM A DISK AROUND A ROTATING BLACK HOLE<br>*Ari Laor* | 90 | 126-B1 |
| CORRELATIONS BETWEEN FAR-INFRARED, RADIO, AND BLUE LUMINOSITIES OF SPIRAL GALAXIES<br>*J. J. Condon, M. L. Anderson, & G. Helou* | 95 | 126-B7 |
| RESONANCE EXCITATION OF SPIRAL DENSITY WAVES IN A GASEOUS DISK. II. A NONLINEAR THEORY AND APPLICATION TO THE 3 KILOPARSEC ARM<br>*Chi Yuan & Ye Cheng* | 104 | 126-C3 |
| ON THE FORMATION OF GLOBULAR CLUSTERS. I. DYNAMICAL LIMITS ON GLOBULAR CLUSTER METALLICITIES<br>*J. H. Brown, A. Burkert, & James W. Truran* | 115 | 126-D1 |
| INTERSTELLAR SCATTERING EFFECTS ON THE DETECTION OF NARROW-BAND SIGNALS<br>*James M. Cordes & T. Joseph Lazio* | 123 | 126-D10 |
| ANATOMY OF THE BARNARD 5 CORE<br>*G. A. Fuller, P. C. Myers, W. J. Welch, P. F. Goldsmith, W. D. Langer, B. G. Campbell, S. Guilloteau, & R. W. Wilson* | 135 | 126-E10 |
| THE MULTIPLE-SHELL STRUCTURE OF THE PLANETARY NEBULA NGC 6751<br>*You-Hua Chu, Arturo Manchado, George H. Jacoby, & Karen B. Kwitter* | 150 | 126-F13 |
| MODEL ATMOSPHERES AND X-RAY SPECTRA OF BURSTING NEUTRON STARS<br>*Jerzy Madej* | 161 | 127-A4 |
| THE WHITE DWARF MASS DISTRIBUTION IN CLASSICAL NOVA SYSTEMS<br>*Hans Ritter, Michael Politano, Mario Livio, & Ronald F. Webbink* | 177 | 127-B10 |
| GRAVITATIONAL REDSHIFT FOR THE PLEIAD WHITE DWARF LB 1497<br>*Gary Wegner, I. Neill Reid, & Robert K. McMahan, Jr.* | 186 | 127-C6 |
| THE EQUILIBRIA AND EVOLUTIONS OF MAGNETIZED, ROTATING, ISOTHERMAL CLOUDS. V. THE EFFECT OF THE TOROIDAL FIELD<br>*Kohji Tomisaka* | 190 | 127-C11 |

| | Page | Fiche |
|---|---|---|
| ON TURBULENT DIFFUSION OF MAGNETIC FIELDS AND THE LOSS OF MAGNETIC FLUX FROM STARS<br>*Samuel I. Vainshtein & Robert Rosner* | 199 | 127-D7 |
| ROTATIONAL EVOLUTION OF SOLAR-TYPE STARS. I. MAIN-SEQUENCE EVOLUTION<br>*K. B. MacGregor & M. Brenner* | 204 | 127-D13 |
| A POWERFUL LOCAL SHEAR INSTABILITY IN WEAKLY MAGNETIZED DISKS. I. LINEAR ANALYSIS<br>*Steven A. Balbus & John F. Hawley* | 214 | 127-E11 |
| A POWERFUL LOCAL SHEAR INSTABILITY IN WEAKLY MAGNETIZED DISKS. II. NONLINEAR EVOLUTION<br>*John F. Hawley & Steven A. Balbus* | 223 | 127-F8 |
| STEADY SPHERICAL HYPERCRITICAL ACCRETION ONTO NEUTRON STARS<br>*John C. Houck & Roger A. Chevalier* | 234 | 127-G6 |
| THE X-RAY PROPERTIES OF GX 301 – 2 (4U 1223 – 62)<br>*F. Haberl* | 245 | 128-A5 |
| OPTICAL EMISSION ENHANCEMENTS IN Be STARS<br>*Krishna M. V. Apparao* | 256 | 128-B3 |
| ON THE ORBITAL CIRCULARIZATION OF CLOSE BINARIES<br>*Itzhak Goldman & Tsevi Mazeh* | 260 | 128-B8 |
| TOMOGRAPHIC SEPARATION OF COMPOSITE SPECTRA: THE COMPONENTS OF THE O-STAR SPECTROSCOPIC BINARY AO CASSIOPEIAE<br>*William G. Bagnuolo, Jr., & Douglas R. Ries* | 266 | 128-C1 |
| ULTRAVIOLET VARIABILITY OF THE MASSIVE W-R BINARY SYSTEM HDE 311884 = WR 47<br>*Gloria Koenigsberger, Anthony F. J. Moffat, & Lawrence H. Auer* | 272 | 128-C9 |
| OBSERVATIONS OF SCORPIUS X-1 WITH *IUE*: ULTRAVIOLET RESULTS FROM A MULTIWAVELENGTH CAMPAIGN<br>*S. D. Vrtilek, W. Penninx, J. C. Raymond, F. Verbunt, P. Hertz, K. Wood, W. H. G. Lewin, & K. Mitsuda* | 278 | 128-D1 |
| MASS LOSS IN THE 96 DAY BINARY UU CANCRI<br>*Joel A. Eaton, Douglas S. Hall, & R. Kent Honeycutt* | 289 | 128-E1 |
| SHOT MODEL PARAMETERS FOR CYGNUS X-1 THROUGH PHASE PORTRAIT FITTING<br>*James C. Lochner, J. H. Swank, & A. E. Szymkowiak* | 295 | 128-E9 |
| *SMM*/HXRBS OBSERVATIONS OF CYGNUS X-1 FROM 1986 DECEMBER TO 1988 APRIL<br>*R. A. Schwartz, L. E. Orwig, B. R. Dennis, J. C. Ling, & W. A. Wheaton* | 312 | 128-G1 |
| MAYFLOWER MINE 1500 GV DETECTOR: COSMIC-RAY ANISOTROPY AND SEARCH FOR CYGNUS X3<br>*D. J. Cutler & D. E. Groom* | 322 | 128-G12 |
| AN INFRARED/OPTICAL INVESTIGATION OF 100 MICRON "CIRRUS"<br>*Elizabeth S. Paley, Frank J. Low, John T. McGraw, Roc M. Cutri, & Hans-Walter Rix* | 335 | 129-A13 |
| MAGNETOHYDRODYNAMIC TURBULENCE DISSIPATION AND STOCHASTIC PROTON ACCELERATION IN SOLAR FLARES<br>*James A. Miller* | 342 | 129-B11 |
| THE PHASE MIXING OF ALFVÉN WAVES, COORDINATED MODES, AND CORONAL HEATING<br>*E. N. Parker* | 355 | 129-C11 |
| ON THE EVALUATION OF THE FERMI-DIRAC INTEGRALS<br>*Robin P. Sagar* | 364 | 129-D8 |
| ERRATUM | | |
| Conformally Symmetric Spheres in the Thin Wall Approximation: Erratum<br>*L. Herrera, J. Ibáñez, & A. Di Prisco* | 367 | 129-D12 |
| ABSTRACTS OF THE ASTROPHYSICAL JOURNAL SUPPLEMENT SERIES, 1991 AUGUST | | |
| The Case Low-Dispersion Northern Sky Survey. XII. A Region in Southern Canes Venatici<br>*Peter Pesch, N. Sanduleak, & C. B. Stephenson* | 368 | 129-E1 |
| An X-Ray and Radio Study of Steep-Spectrum Radio Sources. II. Four Fields from a 22 MHz Polar Cap Survey<br>*P. E. Dewdney, C. H. Costain, I. McHardy, A. G. Willis, D. E. Harris, & C. P. Stern* | 368 | 129-E1 |
| Optical Spectroscopy of Magellanic Cloud Planetary Nebulae. II<br>*Stephen J. Meatheringham & Michael A. Dopita* | 368 | 129-E1 |
| Forbidden Lines of $np^q$ Ions. II. Line Intensities<br>*John P. Lynch & Menas Kafatos* | 369 | 129-E2 |

# CONTENTS

## 1991 AUGUST 1, Number 2


| | Page | Fiche |
|---|---|---|
| FORMATION OF GALACTIC HALOS FROM SEEDED HOT DARK MATTER<br>*Anthony van Dalen & Jens Verner Villumsen* | 371 | 131-B1 |
| WINDS, OUTFLOWS, AND INFLOWS IN X-RAY ELLIPTICAL GALAXIES. I.<br>*Luca Ciotti, Annibale D'Ercole, Silvia Pellegrini, & Alvio Renzini* | 380 | 131-B12 |
| EXTREMELY LOW SURFACE BRIGHTNESS GALAXIES IN THE FORNAX CLUSTER: PROPERTIES, STABILITY, AND LUMINOSITY FLUCTUATIONS<br>*Gregory D. Bothun, Christopher D. Impey, & David F. Malin* | 404 | 131-D10 |
| THE X-RAY COOLING FLOW IN THE CLUSTER OF GALAXIES AROUND PKS 2354−35<br>*Daniel A. Schwartz, Hale V. Bradt, Ronald A. Remillard, & I. R. Tuohy* | 424 | 131-F6 |
| INFRARED AND VISIBLE PHOTOMETRY OF THE GRAVITATIONAL LENS SYSTEM 2237+030<br>*Daniel Nadeau, H. K. C. Yee, W. J. Forrest, J. D. Garnett, Z. Ninkov, & J. L. Pipher* | 430 | 131-G1 |
| STABILITY OF NONROTATING STELLAR SYSTEMS. II. PROLATE SHELL-ORBIT MODELS<br>*David Merritt & Lars Hernquist* | 439 | 131-G13 |
| ARM CLASSIFICATION AND VELOCITY GRADIENTS IN SPIRAL GALAXIES<br>*A. Biviano, M. Girardi, G. Giuricin, F. Mardirossian, & M. Mezzetti* | 458 | 132-B7 |
| GALACTIC DISK WARPS<br>*Konrad Kuijken* | 467 | 132-C4 |
| VARIABLE SOFT X-RAY EXCESSES IN ACTIVE GALACTIC NUCLEI FROM NONTHERMAL ELECTRON-POSITRON PAIR CASCADES<br>*Andrzej A. Zdziarski & Paolo S. Coppi* | 480 | 132-D5 |
| X-RAY HALOS AS DIAGNOSTICS OF INTERSTELLAR GRAINS<br>*John S. Mathis & C.-W. Lee* | 490 | 132-E1 |
| CO (3→2) MAPPING AND GAS EXCITATION IN THE CORE OF M82<br>*R. P. J. Tilanus, L. J. Tacconi, E. C. Sutton, S. Zhou, D. B. Sanders, C. G. Wynn-Williams, K. Y. Lo, & S. A. Stephens* | 500 | 132-E13 |
| VERY SMALL GRAINS AND THE INFRARED COLORS OF GALAXIES<br>*G. Helou, C. Ryter, & B. T. Soifer* | 505 | 132-F6 |
| PHOTOMETRIC BINARY STARS IN PRAESEPE AND THE SEARCH FOR GLOBULAR CLUSTER BINARIES<br>*Michael Bolte* | 514 | 132-G1 |
| INHOMOGENEOUS HALO COLLAPSE AND EARLY GALACTIC CHEMICAL EVOLUTION: GLOBULAR CLUSTER METALLICITIES<br>*G. Malinie, D. H. Hartmann, & G. J. Mathews* | 520 | 132-G9 |
| CAN PHASE SPACE THEORY REPRODUCE EXPERIMENTAL NEUTRAL PRODUCT BRANCHING RATIOS FOR DISSOCIATIVE RECOMBINATION REACTIONS?<br>*E. T. Galloway & Eric Herbst* | 531 | 133-A8 |
| THE DISSIPATION OF MAGNETOHYDRODYNAMIC TURBULENCE RESPONSIBLE FOR INTERSTELLAR SCINTILLATION AND THE HEATING OF THE INTERSTELLAR MEDIUM<br>*Steven R. Spangler* | 540 | 133-B5 |
| DISCOVERY OF INTERSTELLAR METHANE: OBSERVATIONS OF GASEOUS AND SOLID $CH_4$ ABSORPTION TOWARD YOUNG STARS IN MOLECULAR CLOUDS<br>*J. H. Lacy, J. S. Carr, Neal J. Evans II, F. Baas, J. M. Achtermann, & J. F. Arens* | 556 | 133-C9 |
| DENSE CORES IN DARK CLOUDS. VI. SHAPES<br>*P. C. Myers, G. A. Fuller, A. A. Goodman, & P. J. Benson* | 561 | 133-D1 |
| OBSERVATIONS AND CHEMISTRY OF INTERSTELLAR REFRACTORY ELEMENTS<br>*B. E. Turner* | 573 | 133-E1 |
| THE SPECTRUM OF NGC 7027 FROM 3080 TO 2630 WAVENUMBERS (3.25–3.80 MICRONS): DETECTION OF NEW ATOMIC AND MOLECULAR HYDROGEN LINES AND NEW CONSTRAINTS ON THE CHEMICAL SIDEGROUPS ON POLYCYCLIC AROMATIC HYDROCARBONS<br>*Scott A. Sandford* | 599 | 133-G1 |
| NGC 7538 IRS 1: SUBARCSECOND RESOLUTION RECOMBINATION LINE AND $^{15}NH_3$ MASER OBSERVATIONS<br>*R. A. Gaume, K. J. Johnston, H. A. Nguyen, T. L. Wilson, H. R. Dickel, W. M. Goss, & M. C. H. Wright* | 608 | 133-G12 |

# CONTENTS


| | Page | Fiche |
|---|---|---|
| A DOUBLE RADIO SOURCE AT THE CENTER OF THE OUTFLOW IN L723<br>*Guillem Anglada, Robert Estalella, Luis F. Rodríguez, José M. Torrelles, Rosario López, & Jorge Cantó* | 615 | 134-A7 |
| MOLECULAR OUTFLOWS ASSOCIATED WITH YOUNG STELLAR OBJECTS IN THE L1641 REGION OF ORION<br>*James A. Morgan, F. Peter Schloerb, Ronald L. Snell, & John Bally* | 618 | 134-A12 |
| DIRECT VLBI DETECTION OF THE MAGNETOSPHERE SURROUNDING THE YOUNG STAR S1 IN $\rho$ OPHIUCHI<br>*Philippe André, Robert B. Phillips, Jean-François Lestrade, & Karl-Ludwig Klein* | 630 | 134-B12 |
| TESTING MODELS OF LOW-MASS STAR FORMATION: HIGH-RESOLUTION FAR-INFRARED OBSERVATIONS OF L1551 IRS 5<br>*Harold M. Butner, Neal J. Evans II, Daniel F. Lester, Russell M. Levreault, & Stephen E. Strom* | 636 | 134-C6 |
| PROTO-PLANETARY NEBULAE. II. THE SHOCK-HEATED BIPOLAR NEBULAE GL 618 AND M2-56<br>*Robert W. Goodrich* | 654 | 134-D12 |
| THE EFFECTS OF THERMAL RADIATION ON SOME GENERAL RELATIVISTIC STELLAR MODELS<br>*J. M. Aguirregabiria, J. Ibáñez, A. Di Prisco, & L. Herrera* | 662 | 134-E8 |
| TRANSIENT PARTICLE ACCELERATION IN STRONGLY MAGNETIZED NEUTRON STARS<br>*Fulvio Melia & Marco Fatuzzo* | 673 | 134-F7 |
| NEUTRINO-NUCLEUS INTERACTIONS IN CORE-COLLAPSE SUPERNOVAE<br>*Stephen W. Bruenn & W. C. Haxton* | 678 | 134-G1 |
| HIGH-TEMPERATURE NEUTRINO-NUCLEUS PROCESSES IN STELLAR COLLAPSE<br>*George M. Fuller & Bradley S. Meyer* | 701 | 135-A12 |
| THE RRd MASSES REVISITED<br>*Norman R. Simon & Arthur N. Cox* | 717 | 135-C1 |
| THE EVOLUTION AND CLASSIFICATION OF POSTOUTBURST NOVAE SPECTRA<br>*R. E. Williams, M. Hamuy, M. M. Phillips, S. R. Heathcote, Lisa Wells, & M. Navarrete* | 721 | 135-C7 |
| SEARCH FOR TeV EMISSION FROM 4U 0115+63<br>*D. J. Macomb, M. F. Cawley, D. J. Fegan, A. M. Hillas, P. W. Kwok, R. C. Lamb, M. J. Lang, D. A. Lewis, P. T. Reynolds, G. Vacanti, & T. C. Weekes* | 738 | 135-D12 |
| LUMINOSITY LIMIT FOR ALPHA-VISCOSITY ACCRETION DISKS<br>*Edison P. Liang & Amri Wandel* | 746 | 135-E8 |
| NONLINEAR INSTABILITY OF THE ACCRETION LINE<br>*Noam Soker* | 750 | 135-F1 |
| SOLAR GRAVITATIONAL REDSHIFT FROM THE INFRARED OXYGEN TRIPLET<br>*James C. LoPresto, Charles Schrader, & A. Keith Pierce* | 757 | 135-F11 |
| EVOLUTION TO NONEQUILIBRIUM IN SIMPLE MODELS OF PROMINENCE FILAMENTS<br>*Ellen G. Zweibel* | 761 | 135-G1 |
| THE INTERACTION OF COLLISIONLESS SHOCKS IN ASTROPHYSICAL PLASMAS<br>*P. J. Cargill* | 771 | 136-A1 |
| SEISMOLOGY FOR THE FINE STRUCTURE IN THE SUN'S OSCILLATIONS VARYING WITH ITS ACTIVITY CYCLE<br>*W. A. Dziembowski & Philip R. Goode* | 782 | 136-B1 |
| PARTICLE INJECTION FOLLOWING SOLAR FLARES ON 1980 MAY 28 AND JUNE 8: EVIDENCE FOR DIFFERENT INJECTION TIME HISTORIES IN IMPULSIVE AND GRADUAL EVENTS?<br>*M.-B. Kallenrode & G. Wibberenz* | 787 | 136-B8 |
| FLARES OBSERVED BY THE NORMAL INCIDENCE X-RAY TELESCOPE ON 1989 SEPTEMBER 11<br>*M. Herant, F. Pardo, E. Spiller, & L. Golub* | 797 | 136-C6 |
| A CRITICAL ASSESSMENT OF ELECTRON EXCITATION BETWEEN THE $2s^22p^2$ AND $2s2p^3$ CONFIGURATIONS OF $Mg^{+6}$<br>*A. Burgess, H. E. Mason, & J. A. Tully* | 803 | 136-D1 |
| INSTRUCTIONS TO AUTHORS | i | 136-D9 |